

hp

hidropnömak

CE
ISO 9001

C-HS

HİDROLİK KALIP SİLİNDİRİ

HYDRAULIC CYLINDER

GRS SERİSİ HİDROLİK SİLİNDİRLER 250 BAR BASINÇ ve UZUN ÖMÜRLÜ KALIP SİLİNDİRLERİDİR

KARE KESİT GÖVDE / 70 m KROM KAPLI MİL KOLAY MONTAJ YAPILABİLİR ÖZELLİĞİ

Max 250 Bar

C-HS

KALIP SİLİNDİRİ

ÇALIŞMA BASINCI: 250 BAR

TEST BASINCI : 300 BAR


MAX STROK : 0-200 mm

Çap: 16- 100 arası





BOL YEDEK PARÇA


2 YIL GARANTİ

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-01**


Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
K1	65	8,5	10,5	10,5	13	17	21	25
K2	40	50	55	63	76	95	120	158
K3	22	30	35	40	45	65	80	108
B2	6	7	10	10	10	14	14	15
B4	18	20	23	25	27	28	36	39
B6	11	11	11	11	12	17	20	24
P	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 3/8"R	G 1/2"R	G 1/2"R
SW	8	13	17	21	27	32	41	46
H	M 6	M 10	M 12	M 16	M 20	M 27	M 30	M 42
K	11	14	17	17	19	25	31	37

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-02**


Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
K2	40	50	55	63	76	95	120	158
K3	22	30	35	40	45	65	80	108
B2	6	7	10	10	10	14	14	15
B4	18	20	23	25	27	28	36	39
B6	11	11	11	11	12	17	20	24
P	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 3/8"R	G 1/2"R	G 1/2"R
SW	8	13	17	21	27	32	41	50
H	M 6	M 10	M 12	M 16	M 20	M 27	M 30	M 42
CB	M 6X12	M 8X16	M 10X20	M 10X20	M 12X24	M 16X32	M 20X35	M 24X50

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-03**


Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
T	6,5	8,5	10,5	10,5	13	17	21	25
K2	40	50	55	63	76	95	120	158
M	30	33	38	40	44	50	60	64
N	26	26	27	27	30	41	47	54
F	SİPARİŞTE TALEP EDİLECEK							
B2	6	7	10	10	10	14	14	15
B4	18	20	23	25	27	28	36	39
B6	11	11	11	11	12	17	20	24
V	8	10	12	12	15	20	24	28
N	2	2	3	3	5	5	7	7
P	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 3/8"R	G 1/2"R	G 1/2"R
SW	8	13	17	21	27	32	41	50
H	M 6	M 10	M 12	M 16	M 20	M 27	M 30	M 42

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-04**


Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
K2	40	50	55	63	76	95	120	158
M	30	33	38	40	44	50	60	64
N	26	26	27	27	30	41	47	54
F	SİPARİŞTE TALEP EDİLECEK							
B2	6	7	10	10	10	14	14	15
B4	18	20	23	25	27	28	36	39
B6	11	11	11	11	12	17	20	24
V	8	10	12	12	15	20	24	28
Z	2	2	3	3	5	5	7	7
P	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 3/8"R	G 1/2"R	G 1/2"R
SW	8	13	17	21	27	32	41	50
H	M 6	M 10	M 12	M 16	M 20	M 27	M 30	M 42
CB	M 6X12	M 8X16	M 10X20	M 10X20	M 12X24	M 16X32	M 20X35	M 24X50

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-12**


Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
K1	6,5	8,5	10,5	10,5	13	17	21	25
K2	40	50	55	63	76	95	120	158
K3	22	30	35	40	45	65	80	108
Q	3	3	3	3	4	5	6	8
B2	6	7	10	10	10	14	14	15
P	7	7	7	7	7	10	13	15
SW	8	13	17	21	27	32	41	46
H	M 6X12	M 10x15	M 12X15	M 16X25	M 20X30	M 27X40	M 30X40	M 42X60
K	11	14	17	17	19	25	31	37

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-014**

Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
K2	40	50	55	63	76	95	120	158
K3	22	30	35	40	45	65	80	108
Q	3	3	3	3	4	5	6	8
B2	6	7	10	10	10	14	14	15
P	7	7	7	7	7	10	13	15
SW	8	13	17	21	27	32	41	46
H	M 6X12	M 10x15	M 12X15	M 16X25	M 20X30	M 27X40	M 30X40	M 42X60
CB	M 6X12	M 8X12	M 10X20	M 10X20	M 12X24	M 16X32	M 20X35	M 24X50

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-033**

Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
T	6,5	8,5	10,5	10,5	13	17	21	25
K2	40	50	55	63	76	95	120	158
Q	3,5	4	4	4	5	6	6	8
M	30	33	38	40	44	50	60	64
N	24,5	26	27	27	30	41	47	54
F	SİPARİŞTE TALEP EDİLECEK							
B2	6	7	10	10	10	14	14	15
C1	20,5	21	25	27	29,5	32	39	40
C2	7	7,5	10	10	13	16	21	25
V	8	10	12	12	15	20	24	28
Z	2	2	3	3	5	5	7	7
P	8	9	9	9	10	13	13	15
SW	8	13	17	21	27	32	41	46
H	M 6	M 10	M 12	M 16	M 20	M 27	M 30	M 42

hp**hidropnömak**CE
ISO 9001**GRS****HİDROLİK KALIP SİLİNDİRİ****GRS-28-034**

Ø piston çapı mm	Ø 16	Ø 25	Ø 32	Ø 40	Ø 50	Ø 63	Ø 80	Ø 100
Ø D Rod çapı mm	10	16	20	25	32	40	50	60
S	40	44	50	54	65	72	85	90
G	60	65	75	85	100	125	160	200
E	35	45	55	63	75	95	120	150
K2	40	50	55	63	76	95	120	158
M	30	33	38	40	44	50	60	64
N	26	26	27	27	30	41	47	54
F	SIPARIŞTE TALEP EDİLECEK							
B2	6	7	10	10	10	14	14	15
B4	18	20	23	25	27	28	36	39
B6	11	11	11	11	12	17	20	24
V	8	10	12	12	15	20	24	28
Z	2	2	3	3	5	5	7	7
P	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 1/4"R	G 3/8"R	G 1/2"R	G 1/2"R
SW	8	13	17	21	27	32	41	50
H	M 6	M 10	M 12	M 16	M 20	M 27	M 30	M 42
CB	M 6X12	M 8X16	M 10X20	M 10X20	M 12X24	M 16X32	M 20X35	M 24X50

